


L Number	Hits	Search Text	DB	Time stamp
1	118	@ad<19990309 and (allow\$3 permission permit\$5 prohibition) with (copy\$3 copie\$1 duplicat\$3 eras\$3) same (key) same (decrypt\$3 decipher\$3 (decod\$3 near2 key))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:49
2	14	(@ad<19990309 and (allow\$3 permission permit\$5 prohibition) with (copy\$3 copie\$1 duplicat\$3 eras\$3) same (key) same (decrypt\$3 decipher\$3 (decod\$3 near2 key))) and completion	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:47
3	7	(@ad<19990309 and (allow\$3 permission permit\$5 prohibition) with (copy\$3 copie\$1 duplicat\$3 eras\$3) same (key) same (decrypt\$3 decipher\$3 (decod\$3 near2 key))) and (completion near2 (mov\$3 transfer\$3 transmit\$6 copy\$3 copie\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:48
4	9615	@ad<19990309 and (completion near2 (mov\$3 transfer\$3 transmit\$6 copy\$3 copie\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:48
5	2599	@ad<19990309 and ((signal message) with completion near2 (mov\$3 transfer\$3 transmit\$6 copy\$3 copie\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:49
6	490	@ad<19990309 and ((signal message) with completion near2 (mov\$3 transfer\$3 transmit\$6 copy\$3 copie\$1)) and copyright	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:49
7	2	@ad<19990309 and ((signal message) with completion near2 (mov\$3 transfer\$3 transmit\$6 copy\$3 copie\$1) with eras\$3) and copyright	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:50
-	2	"6389538" "6697944").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:07
-	1	("5787171").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:19
-	67	(digital with rights with management) and @ad<19990309	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:23
-	24	((digital with rights with management) and @ad<19990309) and duplicat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:23
-	12	((((digital with rights with management) and @ad<19990309) and duplicat\$3) and ((eras\$3 destroy\$3) same (mov\$3 copy\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:38
-	2393	limit\$4 with (number near3 (copies duplicates))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:39
-	1175	((destroy\$3 eras\$3) with original) same (duplicat\$3 copy\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:41
-	950	((((destroy\$3 eras\$3) with original) same (duplicat\$3 copy\$3)) and @ad<19990309	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:39
-	950	@ad<19990309 and ((destroy\$3 eras\$3) with original) same (duplicat\$3 copy\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:41

-	656	@ad<19990309 and ((destroy\$3 eras\$3) with original) with (duplicat\$3 copy\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 09:44
-	2657	@ad<19990309 and (only near2 (one "1" single) near2 copy)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 10:01
-	232	@ad<19990309 and (only near2 (one "1" single) near2 copy) and (copyright)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 10:06
-	11	@ad<19990309 and ((only near2 (one "1" single) near2 copy) same eras\$3) and (copyright)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 10:07
-	771	@ad<19990309 and (key same (reproducing) same output)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:01
-	5	@ad<19990309 and (key same (reproducing) same copyright same output)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:02
-	114	((success\$5 with decrypt\$3) same ((reproduc\$5 copy\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:07
-	33	((((success\$5 with decrypt\$3) same ((reproduc\$5 copy\$3)))) and @ad<19990308	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:07
-	8	((((success\$5 with decrypt\$3) same ((reproduc\$5 copy\$3)))) and @ad<19990308) and copyright	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:05
-	63	((success\$5 near3 decrypt\$3) same ((reproduc\$5 copy\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:07
-	57	((success\$5 near2 decrypt\$3) same ((reproduc\$5 copy\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:07
-	17	((((success\$5 near2 decrypt\$3) same ((reproduc\$5 copy\$3)))) and @ad<19990308	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:15
-	1983	@ad<19990308 and (prohibit\$3 near3 output\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:17
-	53	@ad<19990308 and (prohibit\$3 near3 output\$5) same key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:17
-	4	@ad<19990308 and (prohibit\$3 near3 output\$5) same key same (decrypt\$3 decod\$3 decipher\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 11:22
-	145	@ad<19990308 and ((copy\$3 copie\$2 reproduc\$5 duplicat\$5) with ((know\$3 possess\$4 have) near2 key))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:36
-	2	((("6697944") or ("6389538")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 13:36
-	1269	((dvd disc disk) adj2 (copie\$1 copy\$3)) and (key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:45

-	547	@ad<19990309 and ((dvd disc disk) adj2 (copie\$1 copy\$3)) and (key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:48
-	142	@ad<19990309 and ((dvd disc disk) adj2 (copie\$1 copy\$3)) and (key with (decod\$3 decrypt\$3 decipher\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:48
-	255	@ad<19990309 and ((dvd disc disk) adj2 (reproduc\$5 copie\$1 copy\$3)) and (key with (decod\$3 decrypt\$3 decipher\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:49
-	2	@ad<19990309 and ((dvd disc disk) adj2 (reproduc\$5 copie\$1 copy\$3)) and (key with (decod\$3 decrypt\$3 decipher\$3)) and (notif\$8 with complet\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:52
-	934	@ad<19990309 and ((can adj (decod\$3 decrypt\$3 decipher\$3)) with key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 12:53
-	3	((("5465300") or ("5949877") or ("6510520")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/28 14:41

**Web**Results 1 - 10 of about 2,010 for **drm erase only (one OR single) copy**. (0.41 seconds)**Bad Copy Pro**

... to rescue lost data from lapse **erase** command or ... **Bad Copy Pro**, claims to supports almost every storage ... Making **only one** attempt to recover data, is faster even ...
www.cdrinfo.com/Sections/Reviews/Specific.aspx?ArticleId=9018 - 94k - [Cached](#) - [Similar pages](#)

DRM Technologies

... Rights manager and a unique, read-only serial number ... is virtually impossible to alter or **erase** (the scheme ... a better user experience than encryption-based **DRM**. ...
www.giantstepsmts.com/DRM%20Watch/tech.htm - 101k - [Cached](#) - [Similar pages](#)

WMA to MP3: Convert Copy Protected WMA files

... non-licensed users the ability to break this **DRM** technology. ... for this step so that you can **erase** it later ... A. ASPI layers (or DirectCD) are the **only** known cause ...
www.zittware.com/Products/CDMaster32/Tutorials/CopyProtected_WMA_to_MP3.html - 35k - [Cached](#) - [Similar pages](#)

Boing Boing: New Beasties disc has DRM -- Fight! For your right! ...

... week, but now I think I'll just **erase** the MP3s ... Note that the **only** thing that this **DRM** is doing ... through the lawbreaking rigamarole of breaking the **DRM** yourself. ...
www.boingboing.net/2004/06/11/new_beasties_disc_ha.html - 13k - [Cached](#) - [Similar pages](#)

Nero [Release Notes]

... A problem with adding **DRM** protected audio files to Nero ... Fixed **erase** disc from Nero StartSmart caused in some ... Fixed **only** show options for DVD compilation if a ...
www.nero.com/en/632010480143599.html - 21k - [Cached](#) - [Similar pages](#)

EDN - The war on copying - 10/16/2003 - EDN - CA326913

... If it is possible to **erase** the module via software ... The most effective **DRM** (digital-rights-management) schemes will ... However, because it's **only** a mark, you won't ...
www.reed-electronics.com/ednmag/article/CA326913?stt=000&pubdate=10%2F16%2F2003 - [Similar pages](#)

Digital Rights Management Conference

... of what it's worth, and the budget for implementing **DRM** does not ... a subscription is that the rights are **only** for thirty ... If you don't **erase** them on the hard drive ...
www.law.berkeley.edu/institutes/bclt/drm/trans/drm-2-28-p2.htm - 91k - [Cached](#) - [Similar pages](#)

PlayFair - Stripping AAC DRM | Mac Forums

... t see them figuring out how to crack iTunes MS **DRM** do you ... **Only** the **one** who paid for it last, is allowed to have a ... And if I do sell it I have to **erase** said songs ...
forums.macrumors.com/archive/index.php/t-66642 - 101k - [Cached](#) - [Similar pages](#)

[PDF] What Every Citizen Should Know About DRM, aka "Digital Rights ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... Trusted Computing and Tethered Content **One** idea that has gained some currency ... encrypted form, and allow it to be decrypted **only** within a ... What Does **DRM** Look Like ...
www.publicknowledge.org/content/overviews/citizens-guide-to-drm/attachment - [Similar pages](#)

Videomaker Magazine Sounding Good: Videomaker's Guide to Audio ...

... Three-head decks divvy up the tasks of **erase**, record and ... A few examples are the Denon **DRM-740** (\$400), Sony's TC ... Again, the **only** solution is to make a **copy** and ...
www.videomaker.com/scripts/article.cfm?id=2936 - 52k - [Cached](#) - [Similar pages](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

09521177
Michael J. Simitoski
Michael.Simitoski@uspto.gov
(571) 272-3841

Google

drm erase after (copy OR duplicate)
drm erase only (one OR single) copy
drm moving data
original data erased after copied
only allow a single copy to exist digital rights management

ACM

permission prohibition copy duplication

IEEE

(permission <or> prohibition) <and> (copy <or> duplication)

Other

Search tool

Search Terms

Applications/Patents from Inventor Search

09/517,477
09/578,390
10/869,399
09/523,280
09/513,482
09/534,744
09/534,829
09/670,871
09/905,137